

**Name:** \_\_\_\_\_

Write all of your responses on these exam pages. If you need extra space please use the backs of the pages.

1. (*15 Points*) State the precise mathematical definitions for  $O(g(n))$ ,  $\Omega(g(n))$ , and  $\Theta(g(n))$ .

## 2. (15 Points) Complexity Proofs

(a) Using the definition of  $O(g(n))$ , prove that  $4n^2 + 2n + 5$  is  $O(n^2)$ .

(b) Using the definition of  $O(g(n))$ , prove that  $2^n$  is  $O(n!)$ .

3. (10 Points) Find the exact number of times the inner loop body is executed and state the computational complexity of the loop.

(a) 

```
for (i = 0; i < n - 1; i++)
  for (j = i+1; j < n; j++) {
    tmp = a[i][j];
    a[i][j] = a[j][i];
    a[j][i] = tmp;
  }
```

(b) 

```
for (i = 0; i < n; i *= 2)
  for (j = 0; j < n; j++)
    for (k = a[i][j] = 0; k < n; k++)
      a[i][j] += b[i][k] * c[k][j];
```

$$\sum_{i=1}^n 1 = n$$

$$\sum_{i=1}^n i = \frac{n(n+1)}{2}$$

$$\sum_{i=1}^n i^2 = \frac{n(n+1)(2n+1)}{6}$$

$$\sum_{i=1}^n i^3 = \left( \frac{n(n+1)}{2} \right)^2$$

$$\sum_{i=0}^{n-1} ar^i = \frac{a(1-r^n)}{1-r} = \frac{a(r^n-1)}{r-1}$$

4. (15 Points) Quick Sort:

(a) What is the computational complexity of the Quick Sort in the best and worst cases?

(b) Given the following array as the initial array,

|   |   |   |    |   |   |   |   |   |    |
|---|---|---|----|---|---|---|---|---|----|
| 7 | 2 | 5 | 15 | 8 | 6 | 3 | 9 | 1 | 12 |
|---|---|---|----|---|---|---|---|---|----|

i. We will use the pivot as the middle element of the array, as we did in our implementation in class. What is the pivot? Also, display the array after the partition stage and before the recursive calls.

ii. Show the portions of the array that are sent to the two recursive calls to the quick sort function. In each case, state the pivot and display the subarrays after their partitioning and before the next recursive calls.

5. (10 Points) Shell Sort: Given the following array, display the result of the Shell sort after one pass using 5 subarrays. Then display the result of this output on a second pass using 3 subarrays.

|   |   |   |    |   |   |   |   |   |    |
|---|---|---|----|---|---|---|---|---|----|
| 7 | 2 | 5 | 15 | 8 | 6 | 3 | 9 | 1 | 12 |
|---|---|---|----|---|---|---|---|---|----|

6. (15 Points) Heap Sort:

- (a) What is the computational complexity of the Heap Sort in the worst cases?
- (b) Given the following array, Display both the binary tree representation and the resulting array after the initial heap construction is finished but before the sorting algorithm phase starts.

|   |   |   |    |   |   |   |   |   |    |
|---|---|---|----|---|---|---|---|---|----|
| 7 | 2 | 5 | 15 | 8 | 6 | 3 | 9 | 1 | 12 |
|---|---|---|----|---|---|---|---|---|----|

## 7. (10 Points) Lambda Expressions

- (a) Write a lambda expression that will find the minimum of two values. It should work with the following block of code and produce the corresponding output.

|   |  |
|---|--|
| <pre>cout &lt;&lt; Min(7, 3) &lt;&lt; endl; cout &lt;&lt; Min(2, 31) &lt;&lt; endl; cout &lt;&lt; Min(2.35, 31) &lt;&lt; endl; string str1 = "Hello"; string str2 = "World"; cout &lt;&lt; Min(str1, str2) &lt;&lt; endl; cout &lt;&lt; endl;</pre> | <p>Output:</p> <pre>3 2 2.35 Hello</pre> |
|---|--|

- (b) Write a lambda expression that will find the factorial of an input long integer. It should work with the following block of code and produce the corresponding output. Write the function using iteration to find the factorial, do not use recursion.

|   |   |
|---|---|
| <pre>cout &lt;&lt; factorial(3) &lt;&lt; endl; cout &lt;&lt; factorial(5) &lt;&lt; endl; cout &lt;&lt; factorial(10) &lt;&lt; endl;</pre> | <p>Output:</p> <pre>6 120 3628800</pre> |
|---|---|

8. (10 Points) Function Pointers: Given the following program.

```

1  #include <algorithm>
2  #include <iostream>
3
4  using namespace std;
5
6  template <class T, class R> using TtoR = R (*)(const T &);
7  template <class T, class R> using TtoRA = R (*)(*)(const T *);
8  template <class T> void print(const T &a) { cout << a << " "; }
9  double itod(const int &a) { return a; }
10 int dtoid(const double &a) { return a; }
11 double *itodA(const int *a) {
12     double *arr = new double[7];
13     transform(a, a + 7, arr, itod);
14     return arr;
15 }
16 int *dtoidA(const double *a) {
17     int *arr = new int[7];
18     transform(a, a + 7, arr, dtoid);
19     return arr;
20 }
21
22 int main() {
23     int arr1[7] = {2, 5, 6, 9, 10, 1, 1};
24     double arr2[7] = {4.3, 4.9, 2.1, 9.125, 0.2, 3.14159, 2.7182818};
25     double *arrP1;
26     int *arrP2;
27
28     // a.
29     TtoR<string, void> f = print;
30     f("Help Me!");
31     // b.
32     TtoR<int, void> f2 = print;
33     f2(3.14159);
34     // c.
35     TtoR<int, double> f3 = itod;
36     cout << f3(12345) << endl;
37     // d.
38     TtoR<double, int> f4 = dtoid;
39     cout << f4(3.14159) << endl;
40     // e.
41     TtoRA<int, double> f5 = itodA;
42     arrP1 = f5(arr1);
43     for_each(arrP1, arrP1 + 7, print<double>);
44     cout << endl;
45     // f.
46     TtoRA<double, int> f6 = dtoidA;
47     arrP2 = f6(arr2);
48     for_each(arrP2, arrP2 + 7, print<int>);
49     cout << endl;
50
51     delete [] arrP1;
52     delete [] arrP2;
53     return 0;
54 }

```

In the above program there are 6 blocks of code labeled with comments a–f. Of these 6 blocks of code which ones will compile and which ones will not. Of those that will compile what is the output of that block of code?