

4. Answer the following questions about numeric data types in Java.

(a) What happens when you overload an int?

(b) What happens when you overload a double?

(c) What happens when you underload an int?

(d) What happens when you underload a double?

(e) What happens when you input a non-numeric string when the Scanner is doing a nextInt?

5. What is the difference between a compiler and an interpreter? Also, discuss Java's method. In addition, explain why this makes Java a "platform-independent language."

6. Write a few lines of code that will take in three integers as input, you may assume that a Scanner object has been created with name `kb`, and print out the largest, smallest, and average of the numbers.

2 Program Traces (20 Points Each)

1. For each of the given inputs, write the output of the program.

```
1  import java.util.Scanner;
2
3  public class ExamTrace1_1 {
4
5      public static void main(String[] args) {
6          Scanner keyboard = new Scanner(System.in);
7
8          System.out.print("Input x: ");
9          int x = keyboard.nextInt();
10         System.out.print("Input y: ");
11         int y = keyboard.nextInt();
12         System.out.print("Input z: ");
13         double z = keyboard.nextDouble();
14
15         double w = x / y + z;
16         long t = x % y;
17         int u = ++y - x--;
18         double r = Math.pow(x, 3) + z - y;
19
20         System.out.println(x + " " + y + " " + z);
21         System.out.println(w + " " + t + " " + u + " " + r);
22     }
23 }
```

- (a) Input x: 2
Input y: 5
Input z: 9

-
- (b) Input x: 5
Input y: 3
Input z: 6

2. For the given input, write the output of the program. For any spaces, including leading or trailing, use an under bracket to represent the space. For example, Hi There should be written as Hi_ _There_.

```
1 import java.util.Scanner;
2
3 public class ExamTrace1_2 {
4
5     public static void main(String[] args) {
6         Scanner keyboard = new Scanner(System.in);
7
8         System.out.print("Input string 1: ");
9         String str1 = keyboard.nextLine();
10        System.out.print("Input string 2: ");
11        String str2 = keyboard.nextLine();
12        System.out.print("Input string 3: ");
13        String str3 = keyboard.nextLine();
14
15        int x = str1.indexOf(str2);
16        System.out.println(x);
17        String str4 = str3.substring(x, 2 * x);
18        System.out.println(str4);
19        System.out.println(str1.length());
20
21        int y = str1.indexOf(" ");
22        int z = str1.lastIndexOf(" ");
23        String str6 = str1.substring(0, y);
24        String str5 = str1.substring(z + 1) + str1.substring(y, z) + str6;
25        System.out.println(str5);
26
27        System.out.println(str1.toLowerCase());
28        System.out.println(str1.indexOf('t'));
29        System.out.println(str3.startsWith(str6));
30        System.out.println(str1.startsWith(str6));
31
32        String str7 = str1.replaceAll("t", "R");
33        str7 = str7.replaceAll("s", "Q");
34        str7 = str7.replaceFirst("w", "HELP");
35        System.out.println(str7);
36        System.out.println(str7.substring(str2.length(), str7.length() - str2.length()));
37    }
38 }
```

Input string 1: This is a test.

Input string 2: es

Input string 3: Well, I have never been so insulted!

3 Coding (20 Points Each)

1. Write a program that will take as input a decimal number representing the user's yearly taxable income and return the amount of income tax they must pay the government. Income tax is calculated as a percentage of the users income according to what bracket they fall in. Here is the tax scheme. If the person makes less than \$50,000 they pay 20% of their income in tax. If the person makes \$50,000 or more up to but not including \$75,000 they pay \$10,000 plus 25% of their income that exceeds \$50,000. If the person makes \$75,000 or more up to but not including \$150,000 they pay \$16,250 plus 27.5% of their income that exceeds \$75,000 in tax. If the person makes \$150,000 or more they pay \$36,875 plus 30% of their income that exceeds \$150,000 in tax. A sample run is below,

```
Input your income: 80000
Your tax is: $17625.00
```

```
import java.util.Scanner;

public class Exam01_1 {

    public static void main(String[] args) {
        Scanner keyboard = new Scanner(System.in);
```

```
    }
}
```

2. Write a program that will solve a quadratic equation given the values of the coefficients. Specifically, the program will solve the equation $ax^2 + bx + c = 0$ for the given values of a , b , and c . Recall from algebra that the solutions to $ax^2 + bx + c = 0$ are given by the quadratic formula $x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$.

If $a = 0$ then the equation is, $bx + c = 0$ which has a solution of $x = -\frac{c}{b}$. If $b = 0$ as well then you cannot do this calculation. In this case, we have the equation $c = 0$, so if the value of c is 0 then the equation is valid for all possible values of x and if not there are no solutions. If $a \neq 0$ then we could apply the formula $x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$, but if $b^2 - 4ac < 0$ then the square root function in the Math package will not be able to evaluate $\sqrt{b^2 - 4ac}$. If the value of $b^2 - 4ac \geq 0$, if it is then you can apply the quadratic formula and get the two solutions. On the other hand, if $b^2 - 4ac < 0$ then the two solutions are complex numbers, simply tell the user that the solutions are complex.

```
import java.util.Scanner;

public class Exam01_2 {

    public static void main(String[] args) {
        Scanner keyboard = new Scanner(System.in);
```

```
    }
}
```